



2022 07 27 08 12


		/	3888	29	0.75%	114	3.02%
		/	3874	17	0.44%	119	3.17%
	HRB400E 20mm	/	3910	10	0.26%	40	1.03%
	Q 235 4.75mm	/	3850	0	0	70	1.85%
		/	22	-19		-74	
		/	-24	-17		-49	
	10-1	/	117	-15		26	
	10-1	/	71	-13		28	
	1-5	/	51	-6		1	
	1-5	/	40	-8		17	
	5-10	/	-168	21		-27	
	5-10	/	-111	21		-45	
	01- 01	/	32	-14		3	
	05- 05	/	43	-12		-13	
	10- 10	/	-14	-12		5	
	HPB300 6.5mm	/	4370	40	0.92%	50	1.16%
	8mm	/	4560	10	0.22%	-10	-0.22%
	1.0mm	/	4360	20	0.46%	70	1.63%
	Q 235	/	3550	0	0	50	1.43%
	6-8mm	/	2260	50	2.26%	70	3.20%
247		%	76.98	--		-1.55	
247			226.26	--		-4.58	-1.98%
		%	9.96	--		-3.89	
			230.29	--		-15.32	-6.24%
			306.67	--		-5.23	-1.68%
		%	33.39	--		1.50	
		%	45.07	--		2.51	
			48.96	--		1.51	3.17%
			1379.9	--		-52.84	-3.69%
			682.66	--		-44.49	-6.12%
			285.62	--		0.64	0.22%
			568.48	--		-41.80	-6.85%
			281.75	--		-29.91	-9.60%
			90.15	--		0.50	0.56%
			113.04	--		-6.55	-5.48%
	7		15.26	0.38	2.58%	0.79	5.49%
			8600	--		1300	17.81%
			14109	3002		5425	
			590	0		-42854	

10

		/	699	20	2.95%	13	1.90%
	60.5%	/	690	27	4.07%	12	1.77%
	DCE	/	748.5	37.5	5.27%	92.0	14.01%
	SGX	/	103.15	5.20	5.31%	-5.62	-5.17%
	62%	/	104	3.65	3.64%	3.10	3.07%
	-DCE	/	-49.5	-17.5		-79.0	
	60.5% -DCE	/	-58.5	-10.5		-80.0	
	DCE 9-1	/	53.5	12.0		21.0	
	DCE 1-5	/	13	-0.5		3.0	
	PB	/	100	10	11.11%	-10	-9.09%



	/	85	13	18.06%	-6	-6.59%
-PB	/	122	-3	-2.40%	-11	-8.27%
PB -	/	117	-9	-7.14%	10	9.35%
65% - 62%	/	11.5	0			-0.50
62% - 58%	/	11.5	1.55			-0.95
		1668.9	---		134.6	8.77%
		570.3	---		-134.5	-19.08%
BCI -	/	11.07	0.05	0.45%	0.04	0.36%
BCI						





2022

65

5000

50%	6	2022	6	18.5	6590	7%	4%	6	1460	5030	28%	1%	6	11.6	4980
-----	---	------	---	------	------	----	----	---	------	------	-----	----	---	------	------